

Original

Trends in cancer mortality in Spain: the influence of the financial crisis

Josep Ferrando^a, Laia Palència^{a,b,c}, Mercè Gotsens^{a,b,c,*}, Vanessa Puig-Barrachina^a, Marc Marí-Dell'Olmo^{a,b,c}, Maica Rodríguez-Sanz^{a,b,c,d}, Xavier Bartoll^{a,c}, Carme Borrell^{a,b,c,d}^a Agència de Salut Pública de Barcelona, Barcelona, Spain^b CIBER de Epidemiología y Salud Pública (CIBERESP), Madrid, Spain^c Institut d'Investigació Biomèdica IIB Sant Pau, Barcelona, Spain^d Departamento de Ciencias Experimentales y de la Salud, Facultad de Ciencias de la Salud y de la Vida, Universitat Pompeu Fabra, Barcelona, Spain

ARTICLE INFO

Article history:

Received 22 August 2017

Accepted 8 November 2017

Available online 13 February 2018

Keywords:

Economic crisis

Austerity

Health care cuts

Cancer

Financial crisis

Mortality

ABSTRACT

Objective: To determine if the onset of the economic crisis in Spain affected cancer mortality and mortality trends.**Method:** We conducted a longitudinal ecological study based on all cancer-related deaths and on specific types of cancer (lung, colon, breast and prostate) in Spain between 2000 and 2013. We computed age-standardised mortality rates in men and women, and fit mixed Poisson models to analyse the effect of the crisis on cancer mortality and trends therein.**Results:** After the onset of the economic crisis, cancer mortality continued to decline, but with a significant slowing of the yearly rate of decline (men: RR = 0.987, 95%CI = 0.985–0.990, before the crisis, and RR = 0.993, 95%CI = 0.991–0.996, afterwards; women: RR = 0.990, 95%CI = 0.988–0.993, before, and RR = 1.002, 95%CI = 0.998–1.006, afterwards). In men, lung cancer mortality was reduced, continuing the trend observed in the pre-crisis period; the trend in colon cancer mortality did not change significantly and continued to increase; and the yearly decline in prostate cancer mortality slowed significantly. In women, lung cancer mortality continued to increase each year, as before the crisis; colon cancer continued to decrease; and the previous yearly downward trend in breast cancer mortality slowed down following the onset of the crisis.**Conclusions:** Since the onset of the economic crisis in Spain the rate of decline in cancer mortality has slowed significantly, and this situation could be exacerbated by the current austerity measures in healthcare.© 2018 SESPAS. Published by Elsevier España, S.L.U. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Evolución de la mortalidad por cáncer en España: influencia de la crisis económica

RESUMEN

Objetivo: Determinar si el inicio de la crisis económica en España afectó a la mortalidad por cáncer y sus tendencias.**Método:** Estudio ecológico longitudinal que analiza todas las muertes por cáncer y por tipos específicos de cáncer (pulmón, colon, mama y próstata) en España entre 2000 y 2013. Se estimaron las tasas de mortalidad estandarizadas por edad en hombres y mujeres, y se ajustaron modelos mixtos de Poisson para analizar el efecto de la crisis sobre la mortalidad por cáncer y sus tendencias.**Resultados:** Después del inicio de la crisis económica, la mortalidad por cáncer continuó su tendencia a la baja, pero con una disminución significativa del decrecimiento anual (hombres: riesgo relativo [RR] = 0,987, intervalo de confianza del 95% [IC95%] = 0,985–0,990, antes de la crisis, y RR = 0,993, IC95% = 0,991–0,996 después; mujeres: RR = 0,990, IC95% = 0,988–0,993, antes, y RR = 1,002, IC95% = 0,998–1,006 después). En los hombres, la mortalidad por cáncer de pulmón se redujo, continuando la tendencia observada en el periodo anterior a la crisis; la tendencia en la mortalidad por cáncer de colon no cambió significativamente y siguió aumentando; y la disminución anual de la mortalidad por cáncer de próstata se desaceleró significativamente. En las mujeres, la mortalidad por cáncer de pulmón continuó aumentando cada año, como antes de la crisis; el cáncer de colon continuó disminuyendo; y la tendencia a la disminución de la mortalidad por cáncer de mama se desaceleró después del inicio de la crisis.**Conclusiones:** Desde el inicio de la crisis económica en España, la disminución de la tasa de mortalidad por cáncer se ha desacelerado significativamente y esta situación podría verse exacerbada por las actuales medidas de austeridad en el sistema sanitario.© 2018 SESPAS. Publicado por Elsevier España, S.L.U. Este es un artículo Open Access bajo la licencia CC BY-NC-ND (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Palabras clave:

Crisis económica

Austeridad

Recortes en salud

Cáncer

Crisis financiera

Mortalidad

* Corresponding author.

E-mail address: mgotsens@aspb.cat (M. Gotsens).

Introduction

The impact of an economic crisis on health depends on various factors.^{1,2} While economic crises have adverse effects on both the determinants and inequalities of health,^{3,4} they can in fact provide an opportunity to promote primary prevention healthcare measures.⁵

History has already shown that economic crises can be accompanied by an increase in mortality, particularly among certain population subgroups, such as children.^{6,7} Within the European Union for instance, a reduction in public spending on healthcare during times of crisis has been found to be associated with increased mortality.⁸ Interestingly, some studies have not observed an increase in overall mortality, but rather an increase in the number of suicides,^{9–11} offset by a decrease in other causes of death, such as those due to traffic injuries.^{12,13}

Increased unemployment along with lower investment in the public health sector are known to be associated with an increase in total cancer mortality, particularly of breast, colon, prostate and lung cancer.^{14–18} Furthermore, it has been shown in some countries that complete public health coverage or greater public health expenditure counteract the negative effect of unemployment, and thus these countries do not show an increase in cancer mortality.^{15,19,20}

The most recent economic crisis began to affect Spain in 2008, and a recent study analysed the effect that this crisis had on both general mortality and some specific causes.²¹ This study found that overall mortality was declining before the onset of the crisis (2004–2007), and that the same trend continued during the subsequent years (2008–2011), particularly among disadvantaged socioeconomic groups. These two periods also saw a lower number of cancer-related deaths, especially in men, although this study only analysed data until 2011, and did not distinguish between the different types of cancer.

In response to the 2008 crisis in Spain, the Spanish government activated various economic adjustment procedures, including healthcare reform encompassing a set of legislative measures aimed at cutting health expenditure. This reform, brought into action by the approval of Royal Decree Law 16/2012, was a key health austerity measure.^{7,22,23} However, the effect of the economic crisis in Spain has been heterogeneous with respect to the different autonomous communities, which may be because each region has some control over how social cuts are implemented.²⁴

Given the limited research on economic crises and cancer mortality, the objective of our study was to determine if cancer mortality, and its overall trends, have changed since the onset of the latest economic crisis in Spain.

Methods

We conducted a longitudinal study of the period 2000 to 2013, with 2008 considered as the year the economic crisis started, and the study population consisted of all residents in Spain during 2000 to 2013. We collected information from the Spanish Mortality Registry, a resource based on the Statistical Bulletin of Deaths, and from the ongoing population census. We analysed all deaths caused by cancer in general (CIE-10: C00–C96), as well as those caused by four specific types of malignant neoplasm: colon (CIE-10: C18), bronchus and lung (CIE-10: C34), breast (CIE-10: C50), and prostate (CIE-10: C61). For our analysis, we considered the following variables: year of death, age at death, gender, autonomous community, and cause of death.

We performed a descriptive analysis of the population according to the number of deaths caused by each of the types of cancer in men and women for each year of the study period. We then

estimated annual mortality rates for all cancers, individually for lung and colon cancer in both sexes, for prostate in men, and for breast cancer in women. Rates were standardised by age using the direct method in which the reference population was the Spanish population of 2001. Data were also represented graphically to visibly highlight the trends.

Finally, we constructed mixed Poisson models to analyse the effect of the crisis on mortality, including its general trends both before and during the crisis (see Model 1; where I = autonomous community, and t = year). We accounted for the variability between autonomous communities by including random effects in the constant and coefficients of the variables for crisis (dichotomous variable taking value 0 for 2000–2007, and 1 for 2008–2013) (b_{1i}), year (b_{2i}), and the interaction between crisis and year (b_{3i}). Using our model, we determined the relative risk (RR) for each type of cancer by estimating the differences in mortality between the first year of the crisis (2008) and the last year before the onset of the crisis (2007; RR crisis; 95%CI). Finally, to evaluate annual trends in mortality, we determined the relative risks for the pre-crisis (RR pre-crisis years; 95%CI) and crisis (RR crisis years; 95%CI) periods.

Model 1:

$$\text{death}_{it} \sim \text{Poisson}(\lambda_{it}), i = 1, \dots, 17, t = 1, \dots, 14$$

$$\log(\lambda_{it}) = \log(\text{pop}_{it}) + (\beta_0 + b_{0i}) + (\beta_1 + b_{1i}) * \text{crisis}_t + (\beta_2 + b_{2i}) * (\text{year}_t - 2008) + (\beta_3 + b_{3i}) * \text{crisis}_t * (\text{year}_t - 2008) + \varepsilon_{it} \text{ where:}$$

$$\text{crisis}_t = \begin{cases} 1 & \text{if } \text{year}_t \geq 2008 \\ 0 & \text{if } \text{year}_t < 2008 \end{cases}$$

$$b_{0i} \sim N(0, \sigma_0^2), b_{1i} \sim N(0, \sigma_1^2), b_{2i} \sim N(0, \sigma_2^2), b_{3i} \sim N(0, \sigma_3^2)$$

Results

Table 1 shows the number of cancer-related deaths in Spain in the years 2000 to 2013, overall, and for lung, colon, prostate and breast cancer. Overall, the data show higher cancer mortality in men than women, with lung and breast cancer being the principal causes of cancer mortality in men and women, respectively.

Between 2000 and 2013, cancer mortality as a whole decreased, especially in men (Fig. 1). However, we observe an upward trend in the most common cancer types, especially colon cancer in men, and lung cancer in women.

According to our model (Table 2), mortality decreased in men following the onset of the crisis (RR = 0.986; 95%CI = 0.976–0.996), although the rate of decline was slower (pre-crisis period, RR = 0.987; crisis period, RR = 0.993; $p < 0.001$). Among women, the positive decline in mortality before the crisis (RR = 0.990; 95%CI = 0.988–0.993) was disrupted by the onset of the crisis (RR = 1.002; 95%CI = 0.998–1.006; $p < 0.001$), such that there is now no statistically significant difference between mortality before and since the onset of the crisis.

Regarding mortality due to specific types of cancer in men, lung cancer mortality decreased with the onset of the crisis (RR = 0.979; 95%CI = 0.964–0.995), but without a significant change in the general trend. In contrast, colon cancer mortality did not undergo any significant change after the start of the crisis, and continued to follow the same gradual increasing trend that had been observed during the pre-crisis period. Prostate cancer mortality did not vary markedly with the onset of the crisis, as the downward trend observed before the crisis underwent a significant regression (pre-crisis trend, RR = 0.969; crisis trend, RR = 0.992; $p < 0.001$).

Table 1

Number of deaths due to cancer, total population in Spain and standardised mortality rate (SMR) per 100,000 inhabitants. Men and women, 2000–2013 (Source: Spanish Mortality Registry, Spanish Institute of Statistics).

	All cancer			Lung cancer			Colon cancer			Prostate cancer/Breast cancer		
	Deaths	Population	SMR	Deaths	Population	SMR	Deaths	Population	SMR	Deaths	Population	SMR
<i>Men</i>												
2000	58,926	19,748,953	352.6	15,389	19,748,953	88.31	4,720	19,748,953	29.08	5,437	19,748,953	37.05
2001	60,939	20,091,592	354.3	16,177	20,091,592	90.60	5,028	20,091,592	30.10	5,644	20,091,592	36.97
2002	60,817	20,489,697	346.6	15,918	20,489,697	87.51	5,029	20,489,697	29.27	5,652	20,489,697	36.16
2003	62,037	20,961,194	345.4	16,459	20,961,194	88.59	5,261	20,961,194	29.98	5,588	20,961,194	34.84
2004	62,661	21,212,679	342.2	16,580	21,212,679	87.34	5,515	21,212,679	30.82	5,664	21,212,679	34.42
2005	62,388	21,709,232	333.0	16,573	21,709,232	85.91	5,548	21,709,232	30.27	5,497	21,709,232	32.43
2006	62,856	22,027,923	327.0	16,812	22,027,923	84.88	5,627	22,027,923	29.78	5,400	22,027,923	30.89
2007	64,059	22,265,841	326.8	17,114	22,265,841	84.81	5,897	22,265,841	30.69	5,561	22,265,841	30.96
2008	64,075	22,772,016	318.6	17,088	22,772,016	82.91	5,955	22,772,016	30.18	5,451	22,772,016	29.45
2009	64,677	23,039,626	314.9	17,231	23,039,626	82.12	6,244	23,039,626	30.89	5,504	23,039,626	28.88
2010	65,844	23,146,097	314.3	17,221	23,146,097	80.62	6,503	23,146,097	31.55	5,859	23,146,097	29.83
2011	66,745	23,200,766	311.2	17,447	23,200,766	79.98	6,658	23,200,766	31.44	6,019	23,200,766	29.57
2012	68,071	23,213,839	310.6	17,604	23,213,839	79.34	6,914	23,213,839	31.94	6,026	23,213,839	28.77
2013	67,422	23,110,309	303.0	17,497	23,110,309	78.02	6,918	23,110,309	31.31	5,769	23,110,309	26.80
<i>Women</i>												
2000	35,687	20,609,303	154.6	1,873	20,609,303	8.33	4,021	20,609,303	17.03	5,652	20,609,303	25.20
2001	36,353	20,880,752	153.2	1,941	20,880,752	8.44	4,060	20,880,752	16.66	5,880	20,880,752	25.60
2002	36,489	21,202,842	150.9	2,100	21,202,842	8.98	4,062	21,202,842	16.42	5,732	21,202,842	24.50
2003	37,327	21,612,476	150.7	2,241	21,612,476	9.35	4,177	21,612,476	16.41	5,879	21,612,476	24.47
2004	37,371	21,842,335	148.1	2,423	21,842,335	9.99	4,245	21,842,335	16.42	5,804	21,842,335	23.73
2005	37,357	22,258,534	144.8	2,455	22,258,534	9.88	4,277	22,258,534	16.10	5,691	22,258,534	22.70
2006	38,347	22,538,309	145.0	2,616	22,538,309	10.37	4,275	22,538,309	15.64	5,927	22,538,309	23.07
2007	38,818	22,788,853	144.0	2,781	22,788,853	10.77	4,487	22,788,853	16.13	5,959	22,788,853	22.80
2008	39,501	23,236,969	142.9	3,032	23,236,969	11.52	4,607	23,236,969	16.14	6,016	23,236,969	22.35
2009	40,034	23,554,047	141.4	3,108	23,554,047	11.64	4,566	23,554,047	15.54	6,089	23,554,047	21.95
2010	40,956	23,718,321	141.8	3,442	23,718,321	12.73	4,702	23,718,321	15.63	6,264	23,718,321	22.14
2011	42,175	23,828,875	142.4	3,568	23,828,875	12.83	4,987	23,828,875	16.15	6,279	23,828,875	21.78
2012	42,508	23,886,662	140.8	3,812	23,886,662	13.61	4,813	23,886,662	15.23	6,245	23,886,662	21.18
2013	43,136	23,851,615	140.9	4,088	23,851,615	14.37	4,893	23,851,615	15.19	6,443	23,851,615	21.56

In women, mortality due to lung cancer increased annually before the crisis (RR = 1.037; 95%CI = 1.030–1.044), and this trend continued after the start of the crisis. Similarly, the decreasing death trend in mortality due to colon cancer observed before the crisis also continued into the crisis period. In contrast, the decline in breast cancer mortality observed before the crisis has stagnated since 2008, (pre-crisis trend, RR = 0.984; crisis trend, RR = 0.995; $p = 0.007$).

Discussion

Cancer mortality as a whole has continued to decrease since the onset of the crisis, especially in men, although this decrease has slowed since 2008. However, this has not been the case for all types of cancer, such as colon cancer, for which the number of deaths has increased, particularly since the onset of the crisis. In women, the decline in cancer-related deaths overall has slowed down since the start of the crisis, while those due to lung cancer continue to rise.

Our results are consistent with a previous report on overall cancer mortality in Spain during the 2004–2011 period,²¹ but encompass a larger time frame (2000–2013) and include an evaluation of specific cancers with higher mortality rates.

The trends observed in Spain are similar to those reported in Greece, where cancer mortality has continued to decline since the onset of the crisis.¹⁹ One of the reasons for this continued decline is that the Greek public health system continued to function effectively despite cuts imposed by the government in response to the crisis. Although there are some differences between the Greek and Spanish health systems, they are both public systems²⁵ that provide full access to healthcare services and thereby buffer the influence of unemployment and reduced healthcare expenditure on increased cancer mortality during times of crisis.¹⁵ In Spain, however, there

was a change in this trend –the rate of decline in cancer mortality decreased with the onset of the crisis.

The health reform introduced by Royal Decree Law 16/2012 could lead to the dismantling of the current public health system. This reform had many consequences, including a decrease in the number of available hospital beds, a reduction in emergency services hours, closure of certain medical services, cancellation of surgical operations, longer waiting lists, privatization of health services, and poorer access to the health system and pharmaceutical assistance.^{22,23,26–30} Between 2009 and 2013 public health expenditure in Spain decreased by 18.2%, which had a strong impact on the health system's equity and universality.^{31,32}

A recent study has highlighted how austerity measures negatively affect the quality of healthcare and population health,³³ and cancer patients in particular are routinely confronted with various economic burdens, such as co-payment for pharmacological treatments and non-urgent medical transport, and payment for orthopaedic prostheses and dietary products. These pressures may drive patients in a precarious economic situation to interrupt their medical treatment.^{34,35}

According to medical oncologists,³⁶ lung cancer is one of the tumours most affected by cutbacks in healthcare, which results in lower patient survival rate.³⁷ In countries whose healthcare system has been severely affected by the crisis, the situation for lung cancer patients has worsened,³⁸ which should be cause for serious reflection given the increasing prevalence of lung cancer among women in Spain.

According to a survey among cancer patients,³⁹ the care they receive has been markedly affected by the crisis, including restrictions on innovative cancer therapies, increases waiting times, and failures to implement and continue early cancer screening programs. Such programs are one of the best strategies for reducing cancer mortality.⁴⁰ A national screening portfolio had not been




Figure 1. Standardised mortality rates per 100,000 inhabitants for all cancers and for specific cancers. Men and women, Spain 2000–2013. Source: Spanish Mortality Registry, Spanish Institute of Statistics.

defined until 2013, although screening was already being carried out in all autonomous communities for some types of cancer, such as breast cancer.⁴¹ As of 2013, breast and colorectal cancers have both been the target of population screening programs, and cervical cancer of an opportunistic program. Those autonomous communities that had not yet implemented screening programs were given a period of five years to initiate the programs, and 10 years to achieve full coverage (basically for colon cancer), although the current economic situation will not make it easy to achieve these goals.⁴² While population-based programs ensure more equitable access to the health system compared to opportunistic-based programs,⁴¹ some inequalities may persist, such as lower participation by ethnic minorities and underprivileged socioeconomic groups.^{40,41,43–51}

In countries where healthcare cuts affect screening programs, cancer mortality is expected to increase in the coming years.⁵² Thus, it is essential that the implementation and continuity of cancer screening programs in Spain are not affected by healthcare cuts.

Despite the negative consequences, periods of economic crisis can actually help promote primary cancer prevention by reducing unhealthy habits such as alcohol and tobacco consumption.^{5,21} One of the limitations of our study is that we did not evaluate health-related behaviours, socioeconomic variables or cancer stage at diagnosis time which are also often modified during times of economic crisis and can influence the appearance and severity

Table 2

Relative risks (RR) and 95% confidence intervals (95%CI) for cancer mortality. Men and women, Spain, 2000–2013. Source: Spanish Mortality Registry, Spanish Institute of Statistics.

	Men RR (95%CI)	Women RR (95%CI)
<i>All cancer</i>		
Crisis (after 2008 compared before 2008)	0.986 (0.976–0.996)	1.003 (0.991–1.016)
Trend in pre-crisis years	0.987 (0.985–0.990)	0.990 (0.988–0.993)
Trend in crisis years	0.993 (0.991–0.996)	1.002 (0.998–1.006)
p-value (crisis*year)	<0.001	<0.001
<i>Lung cancer</i>		
Crisis (after 2008 compared before 2008)	0.979 (0.964–0.995)	1.007 (0.968–1.048)
Trend in pre-crisis years	0.992 (0.988–0.995)	1.037 (1.030–1.044)
Trend in crisis years	0.989 (0.983–0.995)	1.045 (1.037–1.053)
p-value (crisis*year)	0.405	0.147
<i>Colon cancer</i>		
Crisis (after 2008 compared before 2008)	0.990 (0.961–1.019)	1.019 (0.984–1.056)
Trend in pre-crisis years	1.005 (1.000–1.011)	0.992 (0.987–0.997)
Trend in crisis years	1.011 (1.004–1.018)	0.997 (0.989–1.005)
p-value (crisis*year)	0.128	0.322
<i>Breast cancer</i>		
Crisis (after 2008 compared before 2008)		1.010 (0.984–1.038)
Trend in pre-crisis years		0.984 (0.978–0.989)
Trend in crisis years		0.995 (0.988–1.002)
p-value (crisis*year)		0.007
<i>Prostate cancer</i>		
Crisis (after 2008 compared before 2008)	0.998 (0.966–1.031)	
Trend in pre-crisis years	0.969 (0.964–0.974)	
Trend in crisis years	0.992 (0.985–0.999)	
p-value (crisis*year)	<0.001	

RR for cancer mortality with respect to the effect of the crisis (mortality after the year 2008 compared to mortality before 2008), and RRs associated with the trends before and during the crisis (increase in annual mortality during the pre-crisis [2000–2008] and crisis [2008–2013] periods). Significant differences between the two trends are represented using p-values (interaction between year and crisis).

of cancer. Because this information is not available in the Spanish Mortality Registry, it would be useful to investigate these variables in future studies to determine if they are linked to the gender differences observed in our study.

While cancer mortality has continued to decline since the onset of the crisis, its effects on cancer could be slow to appear. Consequently, another limitation of our study is that we analysed a post-crisis period of five years, which may be insufficient to detect major changes in mortality. In addition, given the latency periods of these cancers studied, their effects may appear in the next years. Thus, it would be useful to continue monitoring trends in cancer mortality in the coming years in conjunction with the evolution of the economic crisis.

In conclusion, our study demonstrates an overall downward trend in cancer mortality both before and after the onset of the economic crisis, but with a notable slowing down in the rate of decline since the crisis began. For lung cancer, there was a downward trend in men but an upward trend in women, while for colon cancer the trends are reversed and less pronounced. With respect to prostate and breast cancer, the onset of the crisis caused a slight slowing of their previous decline in men and women, respectively. These trends could change if the current austerity measures are maintained during the coming years, which would cause significant deterioration of the Spanish public healthcare system. Abolishing current austerity measures will be crucial in preventing a rise in cancer mortality in the future.

What is known about the topic?

Increased unemployment along with lower investment in the public health sector are known to be associated with an increase in total cancer mortality, particularly of breast, colon, prostate and lung cancer. However, there are a limited research on economic crises and cancer mortality.

What does this study add to the literature?

Since the onset of the economic crisis in Spain the rate of decline in cancer mortality has slowed significantly. This situation could be exacerbated by the current austerity measures in healthcare. Abolishing current austerity measures will be crucial in preventing a rise in cancer mortality in the future in Spain.

Editor in charge

Carlos Álvarez-Dardet.

Transparency declaration

The corresponding author on behalf of the other authors guarantee the accuracy, transparency and honesty of the data and information contained in the study, that no relevant information has been omitted and that all discrepancies between authors have been adequately resolved and described.

Authorship contributions

All authors made substantial contributions to conception and design of this study. L. Palència, M. Gotsens, M. Marí-Dell'Olmo and V. Puig-Barrachina performed data analysis. All authors contributed to the interpretation of data. J. Ferrando and L. Palència were involved in drafting the manuscript and the rest of the authors revised it critically for important intellectual content. All authors gave final approval of the version to be published

Funding

This research has been partially funded by the project entitled Efectos de la crisis en la salud de la población y sus determinantes en España (PI13/00897) funded by the Instituto de Salud Carlos III (co-funded by European Regional Development Fund).

Conflicts of interest

None.

Appendix A. Supplementary data

Supplementary data associated with this article can be found, in the online version, at [doi:10.1016/j.gaceta.2017.11.008](https://doi.org/10.1016/j.gaceta.2017.11.008).

References

- Cortès-Franch I, González López-Valcárcel B. The economic-financial crisis and health in Spain. Evidence and viewpoints. SESPAS report 2014. *Gac Sanit.* 2014;28 Suppl 1:1–6.
- Quaglio G, Karapiperis T, Van Woensel L, et al. Austerity and health in Europe. *Health Policy (New York)*. 2013;113:13–9.
- Pérez G, Rodríguez-Sanz M, Domínguez-Berjón F, et al. Indicators to monitor the evolution of the economic crisis and its effects on health and health inequalities. SESPAS report 2014. *Gac Sanit.* 2014;28 Suppl 1:124–31.
- Bacigalupe A, Escolar-Pujolar A. The impact of economic crises on social inequalities in health: what do we know so far? *Int J Equity Health.* 2014;13:52.
- Martin-Moreno JM, Alfonso-Sanchez JL, Harris M, et al. The effects of the financial crisis on primary prevention of cancer. *Eur J Cancer.* 2010;46:2525–33.
- Falagas ME, Vouloumanou EK, Mavros MN, et al. Economic crises and mortality: a review of the literature. *Int J Clin Pract.* 2009;63:1128–35.
- Segura Benedicto A. Cuts, austerity and health. SESPAS report 2014. *Gac Sanit.* 2014;28 Suppl 1:7–11.
- Budhdeo S, Watkins J, Atun R, et al. Changes in government spending on healthcare and population mortality in the European Union, 1995–2010: a cross-sectional ecological study. *J R Soc Med.* 2015;108:490–8.
- Coope C, Gunnell D, Hollingworth W, et al. Suicide and the 2008 economic recession: who is most at risk? Trends in suicide rates in England and Wales 2001–2011. *Soc Sci Med.* 2014;117:76–85.
- Haw C, Hawton K, Gunnell D, et al. Economic recession and suicidal behaviour: possible mechanisms and ameliorating factors. *Int J Soc Psychiatry.* 2015;61:73–81.
- Parmar D, Stavropoulou C, Ioannidis JPA. Health outcomes during the 2008 financial crisis in Europe: systematic literature review. *BMJ.* 2016;354, i4588.
- Baumbach A, Gulis G. Impact of financial crisis on selected health outcomes in Europe. *Eur J Public Health.* 2014;24:399–403.
- Karanikolos M, Heino P, McKee M, et al. Effects of the global financial crisis on health in high-income OECD countries: a narrative review. *Int J Health Serv.* 2016;46:208–40.
- Maruthappu M, Watkins JA, Waqar M, et al. Unemployment, public-sector health-care spending and breast cancer mortality in the European Union: 1990–2009. *Eur J Public Health.* 2015;25:330–5.
- Maruthappu M, Watkins J, Noor AM, et al. Economic downturns, universal health coverage, and cancer mortality in high-income and middle-income countries, 1990–2010: a longitudinal analysis. *Lancet.* 2016;6736:1–12.
- Maruthappu M, Watkins J, Taylor A, et al. Unemployment prostate cancer mortality in the O.E.C.D. 1990–2009. *Ecancermedicalscience.* 2015;9:1–13.
- Maruthappu M, Watson RA, Watkins J, et al. Unemployment, public-sector healthcare expenditure and colorectal cancer mortality in the European Union: 1990–2009. *Int J Public Health.* 2016;61:119–30.
- Shafique K, Morrison DS. Socio-economic inequalities in survival of patients with prostate cancer: role of age and Gleason grade at diagnosis. *PLoS One.* 2013;8.
- Vrachnis N, Vlachadis N, Salakos N, et al. Cancer mortality in Greece during the financial crisis. *Acta Oncol (Madr).* 2015;54:287–8.
- Ades F, Senterre C, de Azambuja E, et al. Discrepancies in cancer incidence and mortality and its relationship to health expenditure in the 27 European Union member states. *Ann Oncol.* 2013;24:2897–902.
- Regidor E, Vallejo F, Granados JAT, et al. Mortality decrease according to socio-economic groups during the economic crisis in Spain: a cohort study of 36 million people. *Lancet.* 2016;6736:1–11.
- Repullo JR. Changes in the regulation and government of the health system. SESPAS report 2014. *Gac Sanit.* 2014;28 Suppl 1:62–8.
- Cimas M, Gullón P. Dos años de reforma sanitaria: más vidas humanas en riesgo. *Médicos del Mundo.* 2014.
- Pérez G, Gotsens M, Palència L, et al. Study protocol on the effect of the economic crisis on mortality and reproductive health and health inequalities in Spain. *Gac Sanit.* 2016;30:472–6.
- Ministerio de Sanidad, Servicios Sociales e Igualdad. Subdirección General de Información Sanitaria e Innovación. Los sistemas sanitarios en los países de la UE: características e indicadores de salud. Madrid; 2013.
- López-Fernández LA, Martínez Millán JJ, Fernández Ajuria A, et al. Is the universal coverage of our national health system in danger? *Gac Sanit.* 2012;26:298–300.
- Legido-Quigley H, Otero L, La Parra D, et al. Will austerity cuts dismantle the Spanish healthcare system? *BMJ.* 2013;346:f2363.
- Gallo P, Gené-Badia J. Cuts drive health system reforms in Spain. *Health Policy (New York)*. 2013;113:1–7.
- Carballo F, Muñoz-Navas M. Prevention or cure in times of crisis: the case of screening for colorectal cancer. *Rev Esp Enferm Dig.* 2012;104:537–45.
- Heras-Mosteiro J, Legido-Quigley H, Sanz-Barbero B, et al. Health care austerity measures in times of crisis: the perspectives of primary health care physicians in Madrid Spain. *Int J Health Serv.* 2016;46:283–99.
- Cimas M, Gullón P, Aguilera E, et al. Healthcare coverage for undocumented migrants in Spain: regional differences after Royal Decree Law 16/2012. *Health Policy (New York)*. 2016;120:384–95.
- Suess A, Ruiz Pérez I, Ruiz Azarola A, et al. The right of access to health care for undocumented migrants: a revision of comparative analysis in the European context. *Eur J Public Health.* 2014;24:712–20.
- Cervero-Licerias F, McKee M, Legido-Quigley H. The effects of the financial crisis and austerity measures on the Spanish health care system: a qualitative analysis of health professionals' perceptions in the region of Valencia. *Health Policy (New York)*. 2015;119:100–6.
- Díaz P. El copago de Mato se ceba con los pacientes con cáncer. Madrid: Público. 31 enero 2013. Disponible en: <http://www.publico.es/actualidad/copago-mato-ceba-pacientes-cancer.html>
- Asociación Española Contra el Cáncer. La AECC pide acelerar los plazos de implantación de programas de cribado para disminuir muertes evitables por cáncer de colon. Madrid: Nota de prensa. 30 marzo 2016. Disponible en: https://www.aecc.es/Comunicacion/NotasdePrensa/Documents/2016/NP_Colon.pdf
- Instituto de Médicos Científico (INESME). Encuesta INESME - Impacto de la crisis económica en la aplicación de terapias oncológicas innovadoras. Madrid: INESME; 2011.

37. Europa Press. España, entre los diez países europeos que menos recursos destinan al cáncer de pulmón. Madrid: El Economista. 15 noviembre 2013. Disponible en: <http://ecodiario.economista.es/salud/noticias/5316182/11/13/Espana-entre-los-paises-europeos-que-menos-recursos-destinan-al-cancer-de-pulmon.html>
38. Saloustros E, Vichas G, Margiolaki A. Lung cancer in the era of Greek economic crisis. *Lung Cancer*. 2014;86:1367–80.
39. Encuesta de Qué Sienten Los Pacientes dirigida a pacientes con cáncer de mama. Informe de resultados 2013. Disponible en: <http://docplayer.es/23600084-Encuesta-de-que-sienten-los-pacientes-dirigida-a-pacientes-con-cancer-de-mama-informe-de-resultados-octubre-de-con-la-colaboracion-de.html>
40. Molina Barceló A, Moreno Salas J, Peiró Pérez R, et al. Análisis del cribado del cáncer en España desde una perspectiva de equidad. Valencia: Fundación para el Fomento de la Investigación Sanitaria y Biomédica de la Comunitat Valenciana (FISABIO, Salud Pública); 2016. Informe técnico. Disponible en: <http://www.cribadocancer.com/images/archivos/CRIBADO.CANCER.EQUIDAD.pdf>
41. Palència L, Espelt A, Rodríguez-Sanz M, et al. Socio-economic inequalities in breast and cervical cancer screening practices in Europe: influence of the type of screening program. *Int J Epidemiol*. 2010;39:757–65.
42. Márquez-Calderón S, Villegas-Portero R, Gosalbes Soler V, et al. Health promotion and prevention in the economic crisis: the role of the health sector. *SESPAS report 2014*. *Gac Sanit*. 2014;28 Suppl 1:116–23.
43. Dimitrakaki C, Boulamatsis D, Mariolis A, et al. Use of cancer screening services in Greece and associated social factors: results from the nation-wide Hellas Health I survey. *Eur J Cancer Prev*. 2009;18:248–57.
44. Dorn SD, Wei D, Farley JF, et al. Impact of the 2008-2009 economic recession on screening colonoscopy utilization among the insured. *Clin Gastroenterol Hepatol*. 2012;10:278–84.
45. Myong JP, Kim HR. Impacts of household income and economic recession on participation in colorectal cancer screening in Korea. *Asian Pacific J Cancer Prev*. 2012;13:1857–62.
46. Binefa G, García M, Peiró R, et al. How to assess and reduce social inequalities in cancer screening programmes. *Gac Sanit*. 2016;30:232–4.
47. Adams J, White M, Forman D. Are there socioeconomic gradients in stage and grade of breast cancer at diagnosis? Cross sectional analysis of UK cancer registry data. *BMJ*. 2004;329:142.
48. Forrest LF, Adams J, Wareham H, et al. Socioeconomic inequalities in lung cancer treatment: systematic review and meta-analysis. *PLoS Med*. 2013;10:e1001376.
49. Clegg LX, Reichman ME, Miller BA, et al. Impact of socioeconomic status on cancer incidence and stage at diagnosis: selected findings from the surveillance, epidemiology, and end results: National Longitudinal Mortality Study. *Cancer Causes Control*. 2009;20:417–35.
50. Ennis KY, Chen M-H, Smith GC, et al. The impact of economic recession on the incidence and treatment of cancer. *J Cancer*. 2015;6:727–33.
51. Lawler M, Duffy S, La Vecchia C, et al. America's cancer care crisis – is Europe any better? *Lancet*. 2013;382:1628.
52. Tsounis A, Sarafis P, Alexopoulos EC. Austerity and its consequences on cancer screening in Greece. *Lancet*. 2014;384:2110.